
No.



8900172

ANTERINATIO SHAMES OF AMIGRICAL

TO ALL TO WHOM THESE; PRESENTS SHARL COME:

Pioneer Gi-Bred International, Inc.

Willievers. There has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen years from the date of this grant, subject to the payment of the required fees and periodic replenishment of viable basic seed of the variety in a public repository as provided by LAW, the right to exclude others from selling the variety, or offering it for sale, or reproducing it, or importing it, or exporting it, or using it in producing a hybrid or different very therefrom, to the extent provided by the Plant Variety Protection Act to 1542, as amended, 7 u.s.c. 2321 et seq.)

SOYBEAN

'9121'

En Erstimony Enhance, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D. C. this 31st day of October in the year of our Lord one thousand nine hundred and ninety-one.

CANDENT FEWERS

Commissioner

Plant Variety Predection Office
Signically all Marketing Service

Ca MAdigan

U.S. DEPARTMEN	T OF AGRICUL	TURE		FOR	M APPROV	/ED: OMB NO, 0681-0065	
APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE			if a p	Application is required in order to determin if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information in held confidential until certificate is issued.			
	ns on reverse)		· 		S.C. 2426)		
1. NAME OF APPLICANT(S)	_	2. TEMPOR	ARY DESIGNATION		ARIETY N	AME	
Pioneer Hi-Bred Internationa	l, Inc.				9121		
4. ADDRESS (Street and No. or R.F.D. No., City, St 700 Capital Square 400 Locust Street	ate, and Zip Code		4-0335	PVP	NUMBER	00172	
Des Moines, IA 50309	·· ···········	1				00172	
Glycine Max	Legumi		, ·	FILING	TIME TAME DAME DAME		
8. KIND NAME	ļ.	, DATE OF DE	TERMINATION	+	1	FOR FILING	
Soybean		October, January,	1984 1987(increa	1 % RECEIVED	s 180	0 .171989	
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGANIZATION (Corporation, partnership, association, etc.) Corporation			FEES RE	S 2	FOR CERTIFICATE		
			·		Oct	4,1991	
11. IF INCORPORATED, GIVE STATE OF INCORP IOWA	ORATION		•		12. DATE OF INCORPORATION		
a. X Exhibit A, Origin and Breeding History o b. X Exhibit B, Novelty Statement. c. X Exhibit C, Objective Description of Varie d. Exhibit D, Additional Description of Varie e. X Exhibit E, Statement of the Basis of Appl 15. DOES THE APPLICANT(S) SPECIFY THAT SEE SEED? (See Section 83(a) of the Plant Variety Pro-	ty (Request form licty. licant's Ownershi	p. JETY BE SOLD	riety Protection Off	ice.) E ONL	r as à cla		
16. DOES THE APPLICANT(S) SPECIFY THAT THE	· · · · · · · · · · · · · · · · · · ·	17. IF "	YES" TO ITEM 16,	WHICH			
LIMITED AS TO NUMBER OF GENERATIONS?		_	OND BREEDER SE		-:	Certified	
18. DID THE APPLICANT(S) PREVIOUSLY FILE	FOR PROTECT		oundation ARIETY IN THE U		gistered		
						Yes (If "Yes," give date)	
19. HAS THE VARIETY BEEN RELEASED, OFFEI	RED FOR SALE	OR MARKET	ED IN THE U.S. OF	OTHE	R COUNTI	Yes (If "Yes," give names	
	•				ⅳ	of countries and dates)	
20. The applicant(s) declare(s) that a viable samp plenished upon request in accordance with se				with t	he applica	tion and will be re	
The undersigned applicant(s) is (are) the own distinct, uniform, and stable as required in So Variety Protection Act.	er(s) of this sex ection 41, and i	ually reprodu s entitled to p	ced novel plant varotection under th	riety, a e provis	nd believe sions of Se	(s) that the variety is ection 42 of the Plant	
Applicant(s) is (are) informed that false repre	esentation herei	n can jeopardi	ze protection and			s	
Clark General Control Clark				DA	4/5	/89	
IGNATURE OF APPLICANT	<i>yo</i>			DA	TE	/	
				- I			

FORM LS-470 (3-86)

Edition of 7-84 obsolete.

/

Attachment: 9121 Soybean (April, 1989)

Exhibit A:

Variety 9121 evolved from a cross of Variety A1937 x Variety A3127. It is a F5-derived variety which was advanced to the F5 generation by modified single-seed descent. The F6 progeny row of 9121 was grown in Iowa during the summer of 1984. Subsequently, 9121 has undergone four years of extensive testing and purification and has been observed by the breeder to be uniform and stable for all plant traits from generation to generation with no evidence of variants.

Seed hila of Variety 9121 are light brown in color, and under certain environmental conditions may appear buff or light tan in color. When seeds of this type are planted, they produce plants having seeds with light brown hila.

Four acres of 9121 (breeder's seed) were grown in 1987. 81 acres of parent seedstock (foundation seed equivalent) were grown in 1988.

Exhibit B:

Variety 9121 is most similar to variety A1937. Both varieties have purple flowers, tawny pubescence and yellow seeds with brown hila. However, A1937 exhibits a low seed coat protein peroxidase activity, whereas 9121 has a high protein peroxidase activity.

Exhibit E:

Pioneer Hi-Bred International, Inc. is the sole, original, and first breeder of soybean variety 9121, for which it solicits a certificate of protection.

EXHIBIT C (Soybean)

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARY LAND 20705

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
	TENN ONATT BESTONATION	
Pioneer Hi-Bred International, Inc. ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code	a 1	9121 FOR OFFICIAL USE ONLY
700 Capital Square	z/	PVPO NUMBER
400 Locust Street		8900172
Des Moines, IA 50309		<u> </u>
Choose the appropriate response which characterizes the varing your answer is fewer than the number of boxes provided,	place a zero in the first box w	then number is 9 or less (e.g., 0 9).
1. SEED SHAPE:	0	
2		
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2)		(L/W ratio > 1.2; L/T ratio = < 1.2)
3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)		(L/T ratio > 1.2; T/W > 1.2)
2. SEED COAT COLOR: (Mature Seed)		
1 1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other	(Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)		
1 = Duli ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebso	oy'; 'Gasoy 17')	
4. SEED SIZE: (Mature Seed)		
1 7 Grams per 100 seeds		•
5. HILUM COLOR: (Mature Seed)		
3 1 = Buff 2 = Yellow 3 = Brown 4	1 = Gray 5 = Imperfect Bla	ck 6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)		
1 = Yellow 2 = Green		
7. SEED PROTEIN PEROXIDASE ACTIVITY:		
2 1 = Low 2 = High		
8. SEED PROTEIN ELECTROPHORETIC BAND:		
1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b)		
9. HYPOCOTYL COLOR:		
1 = Green only ('Evans'; 'Davis') 2 = Green with 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson'; '	bronze band below cotyledons (' 'Coker Hampton 266A')	Woodworth'; 'Tracy')
10. LEAFLET SHAPE:	, , , , , , , , , , , , , , , , , , , ,	
3 1 = Lanceolate 2 = Oval 3 = Ovate	4 = Other (Specify)	

11. LEAFLET	SIZE:	·		
	= Small ('Amsoy 71'; 'A5312') 2 = Me = Large ('Crawford'; 'Tracy')	edium ('Corsoy 79'; 'Gasoy 17')		·
12. LEAF COL	.OR:			
	= Light Green ('Weber'; 'York') 2 = Me = Dark Green ('Gnome'; 'Tracy')	edium Green ('Corsoy 79'; 'Braxtor	n')	
13. FLOWER	COLOR:			
2 1	= White 2 = Purple 3 = White	with purple throat		
14. POD COLO	PR:			
2 1	= Tan 2 = Brown 3 = Black			
15. PLANT PU	BESCENCE COLOR:			
2 1	= Gray 2 = Brown (Tawny)			
16. PLANT TY	PES:			
	= Siender ('Essex'; 'Amsoy 71') 2 = Int = Bushy ('Gnome'; 'Govan')	rermediate ('Amcor'; 'Braxton')		
17. PLANT HA	RIT.			
		mi-Determinate ("Will")		
3 -	= Determinate ('Gnome'; 'Braxton') 2 = Ser = Indeterminate ('Nebsoy'; 'Improved Pelican')	mi-Determinate (*Will*)		
18. MATURITY	= Determinate ('Gnome'; 'Braxton') 2 = Ser = Indeterminate ('Nebsoy'; 'Improved Pelican')	5 = II 6 = III	7 = IV 8 = V	· ·
18. MATURITY 0 4 1 = 9 =	= Determinate ('Gnome'; 'Braxton') 2 = Ser = Indeterminate ('Nebsoy'; 'Improved Pelican') / GROUP: = 000 2 = 00 3 = 0 4 = I = VI 10 = VII 11 = VIII 12 = IX	5 = II 6 = III (13 = X	7 = IV 8 = V	
18. MATURITY 0 4 1 = 9 = 19. DISEASE R	= Determinate ('Gnome'; 'Braxton') 2 = Ser = Indeterminate ('Nebsoy'; 'Improved Pelican') / GROUP: = 000 2 = 00 3 = 0 4 = I = VI 10 = VII 11 = VIII 12 = IX EACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 =	5 = II 6 = III (13 = X	7 = IV 8 = V	
18. MATURITY 0 4 1 = 9 = 19. DISEASE R	= Determinate ('Gnome'; 'Braxton') 2 = Ser = Indeterminate ('Nebsoy'; 'Improved Pelican') / GROUP: = 000 2 = 00 3 = 0 4 = I = VI 10 = VII 11 = VIII 12 = IX	5 = II 6 = III (13 = X	7 = IV 8 = V	
18. MATURITY 0 4 1 = 9 = 19. DISEASE R BACTERIA	= Determinate ('Gnome'; 'Braxton') 2 = Ser = Indeterminate ('Nebsoy'; 'Improved Pelican') / GROUP: = 000 2 = 00 3 = 0 4 = I = VI 10 = VII 11 = VIII 12 = IX EACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 =	5 = II 6 = III (13 = X	7 = IV 8 = V	
18. MATURITY 0 4 1 = 9 = 19. DISEASE R BACTERIA 0 Bac	= Determinate ('Gnome'; 'Braxton') 2 = Ser = Indeterminate ('Nebsoy'; 'Improved Pelican') / GROUP: = 000 2 = 00 3 = 0 4 = I = VI 10 = VII 11 = VIII 12 = IX EACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = AL DISEASES:	5 = II 6 = III (13 = X	7 = IV 8 = V	
18. MATURITY 0 4 1 = 9 = 19. DISEASE R BACTERIA 0 Bac	= Determinate ('Gnome'; 'Braxton') 2 = Ser = Indeterminate ('Nebsoy'; 'Improved Pelican') / GROUP: = 000 2 = 00 3 = 0 4 = I = VI 10 = VII 11 = VIII 12 = IX EACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = AL DISEASES: cterial Pustule (Xanthornonas phaseoli var. sojensis)	5 = II 6 = III (13 = X	7 = IV 8 = V	
18. MATURITY 0 4 1 = 9 = 19. DISEASE R BACTERIA 0 Bac	= Determinate ('Gnome'; 'Braxton') 2 = Ser = Indeterminate ('Nebsoy'; 'Improved Pelican') / GROUP: = 000 2 = 00 3 = 0 4 = I = VI 10 = VII 11 = VIII 12 = IX EACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = AL DISEASES: cterial Pustule (Xanthomonas phaseoli var. sojensis) cterial Blight (Pseudomonas glycinea) dfire (Pseudomonas tabaci)	5 = II 6 = III (13 = X	7 = IV 8 = V	
18. MATURITY 0 4 1 = 9 = 19. DISEASE R BACTERIA 0 Bac 0 Will FUNGAL DI	= Determinate ('Gnome'; 'Braxton') 2 = Ser = Indeterminate ('Nebsoy'; 'Improved Pelican') / GROUP: = 000 2 = 00 3 = 0 4 = I = VI 10 = VII 11 = VIII 12 = IX EACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = AL DISEASES: cterial Pustule (Xanthomonas phaseoli var. sojensis) cterial Blight (Pseudomonas glycinea) dfire (Pseudomonas tabaci)	5 = II 6 = III (13 = X	7 = IV 8 = V	
18. MATURITY 0 4 1 = 9 = 19. DISEASE R BACTERIA 0 Bac 0 Will FUNGAL DI 0 Bro	= Determinate ('Gnome'; 'Braxton') 2 = Ser = Indeterminate ('Nebsoy'; 'Improved Pelican') / GROUP: = 000 2 = 00 3 = 0 4 = I = VI 10 = VII 11 = VIII 12 = IX EACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = AL DISEASES: cterial Pustule (Xanthomonas phaseoli var. sojensis) cterial Blight (Pseudomonas glycinea) dfire (Pseudomonas tabaci) ISEASES: own Spot (Septoria glycines)	5 = II 6 = III (13 = X	7 = IV 8 = V	
18. MATURITY 0 4 1 = 9 = 19. DISEASE R BACTERIA 0 Bac 0 Will FUNGAL DI 0 Bro	= Determinate ('Gnome'; 'Braxton') 2 = Ser = Indeterminate ('Nebsoy'; 'Improved Pelican') / GROUP: = 000 2 = 00 3 = 0 4 = I = VI 10 = VII 11 = VIII 12 = IX EACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = AL DISEASES: cterial Pustule (Xanthomonas phaseoli var. sojensis) cterial Blight (Pseudomonas glycinea) dfire (Pseudomonas tabaci) ISEASES: own Spot (Septoria glycines) geye Leaf Spot (Cercospora sojina)	5 = II 6 = III (13 = X Resistant)		
18. MATURITY 0 4 1 = 9 = 19. DISEASE R BACTERIA 0 Bac 0 Will FUNGAL DI 0 Bro	= Determinate ('Gnome'; 'Braxton') 2 = Ser	5 = II 6 = III (13 = X	7 = IV 8 = V Other (Specify)	
18. MATURITY 0 4 1 = 9 = 19. DISEASE R BACTERIA 0 Bac 0 Will FUNGAL DI 0 Bro Fro 0 Rac	= Determinate ('Gnome'; 'Braxton') 2 = Ser	5 = II 6 = III (13 = X Resistant)		
18. MATURITY 0 4 1 = 9 = 19. DISEASE R BACTERIA 0 Bac 0 Will FUNGAL DI 0 Bro Fro 0 Rac 0 Dov	= Determinate ('Gnome'; 'Braxton') 2 = Ser	5 = II 6 = III (13 = X Resistant)		
18. MATURITY 0 4 1 = 9 = 19. DISEASE R BACTERIA 0 Bac 0 Will FUNGAL DI 0 Bro Fro 0 Rac 0 Dov	= Determinate ('Gnome'; 'Braxton') 2 = Ser	5 = II 6 = III (13 = X Resistant)		
18. MATURITY 0 4 1 = 0 = 0 = 0 = 0 = 0 = 0 = 0 = 0 = 0 =	= Determinate ('Gnome'; 'Braxton') 2 = Ser	5 = II 6 = III (13 = X Resistant)		

19. DISEASE REACTION	ON: (Enter 0 = Not Tested; 1 = Susceptible; 2	2 = Resistant) (Continued)	
FUNGAL DISEA	SES: (Continued)		
O Pod and Si	tem Blight <i>(Diaporthe phaseolorum</i> var; sojae)		
O Purple See	d Stain (<i>Cercospora kikuchii)</i>		
0 Rhizocton	ia Root Rot (Rhizoctonia solani)		
N Phytophth	ora Rot (<i>Phytophthora megasperma</i> var. sojae	J	
My 1991 Race 1	Race 2 0 Race 3	Race 4 Race 5	0 Race 6 0 Race 7
0 Race 8	0 Race 9 Other (Specify)		
VIRAL DISEASE	S:	·	
0 Bud Blight	(Tobacco Ringspot Virus)		
O Yellow Mo	saic (Bean Yellow Mosaic Virus)		
O Cowpea Mo	osaic (Cowpea Chlorotic Virus)		
0 Pod Mottle	(Bean Pod Mottle Virus)		
0 Seed Mottle	e (Soybean Mosaic Virus)	•	
NEMATODE DIS	EASES:		
Soybean Cy	rst Nematode (Heterodera glycines)	<i>!</i>	
0 Race 1	0 Race 2 0 Race 3	Race 4 Other	Specify)
0 Lance Nem	atode (Hopiolaimus Colombus)		• .
0 Southern R	oot Knot Nematode (Meloidogyne incognita)		
0 Northern R	oot Knot Nematode (Meloidogyne Hapla)	•	
0 Peanut Roo	t Knot Nematode (Meloidogyne arenaria)		
0 Reniform N	ematode (Rotylenchulus reniformis)		
OTHER DIS	SEASE NOT ON FORM (Specify):		
<u> </u>			·
20. PHYSIOLOGICAL R	ESPONSES: (Enter 0 = Not Tested; 1 = Susc	eptible; 2 = Resistant)	
1 Iron Chloros	sis on Calcareous Soil		
O Other (Speci	fy)		
21. INSECT REACTION:	(Enter 0 = Not Tested; 1 = Susceptible; 2 =	Resistant)	
0 Mexican Bea	n Beetle (<i>Epilachna varivestis)</i>		•
0 Potato Leaf	Hopper (Empoasca fabae)		
Other (Speci	fy)		
22. INDICATE WHICH V	ARIETY MOST CLOSELY RESEMBLES TH	AT SUBMITTED.	
CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY
Plant Shape	A2234	Seed Coat Luster	9161
Leaf Shape	A1937	Seed Size	9161
Leaf Color	GNOME	Seed Shape	9161
Leaf Size	A1937	Seedling Pigmentation	
· .			5

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF PLANT DAYS LODGING MATURITY SCORE	CM PLANT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/	
		SCORE	HEIGHT	CM Width	CM Length	% Protein	% Oil	SEEDS	POD
9121 Submitted	110	1.3	87.6					17.0	
A1937 Name of Similar Variety	116	2.2	105.4					16.0	

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A₂ in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.